#### IT in Construction

# Lecture #5 Construction Management Information System Detail Design and Implementation

Amin Alvanchi, PhD

Construction Engineering and Management

## **Outline**


- Introduction
- Queries
- Forms

- Up to this stage of the MIS development we could determine database structure (or data model) by determining data tables and their 3NF relationships and data media required for transferring data within the system and from/ to the database
- In detail design of an MIS system we need to develop data media recognized for the model
- Detail design and implementation has two stages:
  - 1) Collecting set of data required on the data flow media from different data tables: It is the subject of Queries!
  - 2) Presenting data collected on data flow media: It is our subject in forms development

#### **Example**:

Remember data flow in our Bid Management System.

Lets focus on bid information!



#### **Example**: Bid form from database is our main tool for bid data flow:


Data flow	Media		
Sending subscription information	Email; Using provider's online form; Using provider's tel-lines; filling client's form and sending by mail		
Receiving new projects info (from data providers)	By Email; Letter; Directly reading from online account		
Using historical bid results	A database-form (historical result form)		
Sending new projects' info	A database-form (announce project form)		
Storing new projects' info	A database-form (announce project form)		
Storing project analysis result	Copy of documents on the contracting manager's computer/ shelf; Info record on a database-form (announced project form)		
Storing submitted bid docs info	Original documents of documents on the contracting manager's computer/ shelf; Into record on a database form (bid form)		
Requesting new bid info (from client)	Verbally; phone; through email		
Receiving new projects info (from client)	Verbally; phone; through email; letter		
Submitting bid documents	Envelope; client's online website		
Requesting bid results	Verbally; phone; through email		
Receiving bid results	Verbally; phone; through email: letter		
Storing bid results <	Info record on a database form (bid form)		

#### **Example:**

What information do we need to present on bid form?

- Project size
- Project type
- Bid decision reason
- Client name
- Client Tel
- Client contact person
- Submission date
- Value
- Result





#### **Example**:

- 1) Query helps us to find and collect related data from different data tables (New project, Client and Bid) of database
- 2) Bid form uses provided information by query to present data required on bid form

More information on each of these MIS development tools is discussed in the rest of the lecture!

## Queries


## Introduction to queries

- In general, a query is a form of questioning, in a line of inquiry, and is used for communication with database!
- By using queries, selective set of data from/to different data tables can be selected/ inserted!
- In databases, queries are usually commands that we use for communicating with the database engine. They can be sent to the database engine directly through command line (if provided by the database; MS Access does not have a command line), through interface programming codes or by using set of tools provided by database software packages!

## Introduction to queries


- Special language called Structured Query Language (SQL) has been developed for creating queried through scripts to the databases engine.
- To make the process of query development simpler, Microsoft has developed a special visual environment for query development for MS Access developers.
- Before start developing queries refer to data flow medial analysis results to determine data titles and data rows required for every media which has been identified.

# Introduction to queries







Create query - design mode



# Select queries

 Select queries are meant to retrieve required data tables stored in the database.






- Showing all records all fields
- Presenting selected fields
- Conditions on selected fields
- Calculated columns

- Aggregation queries
- Queries on several tables
- Queries on queries
- Column properties
- SQL (Quick guide, Detail guide)

# **Append (insert) queries**

 Append (insert) queries are meant to add new data-rows to the required data tables within the database.







Hands on software (MS Access):

- Direct data entry
- Append data by query
- Append from other tables
- Properties
- SQL

## **Delete queries**

 Delete queries are meant to delete data-rows from to the required data tables within the database.







- Creating a delete query
- SQL

## **Update queries**

 Update queries are meant to update data items within currently stored data-rows in the database.







- Creating an update query
- SQL

# Make table queries

 Update queries are meant to update data items within currently stored data-rows in the database.






- Creating a query
- $_{\square}$  SQL

## After class practice 1

- 1 1) Use our bid management system data model to create MS Access database.
- (I)) **Note**: No space should be used in field (or attribute) and Table (or entity) names in the database!
  - 2) Create database relationship
  - 3) Use data in the MS-Excel file to directly fill data in data tables
  - 4) Create a query presents all project bids we have bided on in 2013
  - 5) Create a query which shows different types of projects and contracts we have not won!



# After class practice 1




- 6) Create a query which changes all <u>Cost plus</u> projects to <u>Unit price</u> projects!
- 7) Create a query to insert a new project to the announced project table.

  The new project is very similar to "Sadr Highway" project, the only change is that it is going to be for "Hemmat Hightway" and the date is 3 months later
- 8) Create a query which shows the total value of all projects we have won!
- 9) Create a query which deletes "Tehran" from our competitors!
- 10) Create a new table the same as "Contract type" called "Subcontract type"

Compress your file (in a zip format) and send it to the TA

# Introduction to Structured Query Language (SQL)

- SQL is a special language developed for communicating with database engine.
- All query features discussed and in last slides can be implemented directly by using SQL code.
- As a matter of fact, MS Access it self translates all those visual implementation of the queries to SQL codes and then communicates with database engine!



# Introduction to Structured Query Language (SQL)

- Because of time constraint in the course and because MS Access can support all we are skipping required SQL codes in a visual manner we avoid entering SQL programming.
- If you were required SQL code for any types of queries you can easily
   develop it through MS Access query development tool and use the code
- You are absolutely encouraged navigating SQL codes of different queries developed by using MS Access query development tool.

## **Data Forms**

- Forms provide a more controlled and directed access to the data in a database application for the database users (remember how difficult and error-prone direct data input is!!!!)
- In most management information systems the main (or even usually the only)
  interface that users are dealing with are forms!

#### Example 1:





ipment Specification	rds Equipment Services Equi	pment Service Schedule	New Eq		Equipment	Print	Clos
	WSFCode: CA02	Category: Compressor		Mfg:			Edit
scription:		SN: 019969A	SCode:	Mode	l: Sullivan		
signed Department:	Char	ge Cntr:	Locatio				
In Service Date:		Cost (\$):	- (	Location	- D	ate	
Warranty Exp. Date:	War	rantyNo:					
rvice Co. Name and Address:							






In information systems, forms are the main interactive media (or tools) which involves system users in creating, updating, transferring and removing data in computer databases!



What other ways do you know that might be used for manipulating data in database?



- Query and form can independently write/ call data into/ from database; however, we are forced to use queries if we want our forms' data go into/ come from several data tables.
- Use of queries for retrieving data from or updating databases is almost always limited to the information system administrator or through stored procedures within the databases.
- If we want to communicate with database interactively and via users, forms are our best tool for doing it.



How can we figure out what kinds of forms do we need in our system? Among different system analyzing tools which tool is more appropriate?

Using results achieved in our data flow media analysis

**Example:** Remember data flow media analysis we developed for out bidding management system


Data flow	Media
Sending subscription information	Email; Using provider's online form; Using provider's tel-lines; filling in client's form and sending by mail
Receiving new projects info (from data providers)	By Email; Letter; Directly reading from online account
Using historical bid results	A database-form (historical result form)
Sending new projects' info	A database-form (announce project form)
Storing new projects' info	A database-form (announce project form)
Storing project analysis result	Copy of documents on the contracting manager's computer/ shelf; Info record on a database-form (announced project form)
Storing submitted bid docs info  Original documents of documents on the contracting machine computer/ shelf; Info record on a database form (bid for	
Requesting new bid info (from client)	Verbally; phone; through email
Receiving new projects info (from client)	Verbally; phone; through email; letter




How can we figure out what kinds of information should go on a form?

- Depending on the application of a form and data flow in the system some or all of fields (attributes) created for data tables (entities) are used in forms!
- So, for properly creating a form we need to review the form's mission by looking at the related data flows (in dfd) and data tables involved (3NF ERD or data model)!
- At the rest of this lecture we discuss different features of form development in MS. Access!


# **Creating forms**






## Form properties


- By selection the form and then selecting: Design> Property Sheet, Form Property Sheet will appear/ disappear (consecutively). Form properties are divided into four main parts: 1) Format (for adjusting form appearance) 2) Data (for setting up form's link to the database) 3) Event (for handling actions required on specific events happened!) 4) Other (for adjusting other features which are out of mentioned categories) (All, as the last category, includes all properties!)
- There are many properties available for the form. In this
   lecture we just discuss some of most applicable properties.
- Note: Most properties configure the form specifications on the *Form View*!





## Form properties - data


Record Source: Determines record set to be linked to the form as explained in the Form fields slides. You either select record set from drop-down list of tables and queries or directly develop a customized query (same as query design area).




- Allow Additions: Determines whether the a new record can be added on the Form View (Yes) or not (No).
- Allow Deletions: Determines whether the a whole record can be deleted on the Form View (Yes) or not (No).
- Allow Edits: Determines whether record fields can be edited on the Form View (Yes) or not (No).

#### Form fields

Forms can be created (recommended method) by following: Create>Form Design




To be able to be linked to the database (data tables and queries) we need to link our form to a data-table or query by selecting the form, and following: Design> Property Sheet> Data> Record Source




### Form fields

Field list becomes accessible by selecting: Design> Add Existing Fields. You can then adjust field locations, sizes and the distance between label and field by selecting and dragging the label and the field borders!



Select: Design>View> Form View to see field values. As default, the first record of the record resource you have selected will be shown. Push the record selectors at the bottom to change the record/ go to the new record mode.



### **Controls**


There are different controls (Design> Controls) to be placed on forms. Some of them are meant to be linked (bound) to a field and present database data in their own way of data presentation and some others are used for the presentation and explanation purposes (are unbound)! By moving the cursor on the top of each control, a tool tip will be presented showing the control name. By clicking (or double-clicking) on a control, the control is selected and you can then draw the control on the specific location on the form that you like to use the control. You can also easily copy and paste the controls on form and populate them!

Set of form controls provided by MS Access

A label and a line control on the form (unbound)




By drawing some of to be bounded controls on the form, a control wizard gets open helping the user on customizing and bounding the control to the database. You can either follow up the wizard steps or cancel the wizard and set the control manually! A Combo Box Wizard automatically gets open by drawing it on the form!



## **Controls**

Labels and text boxes are among the most applicable controls. By default when you select a field (previous subject), the supporting control is a text box, which is linked (bound) to the field, and a label as a caption which is unbounded but by default gets the name of the linked field. By default by choosing a text box a supporting label is also attached to it. You can select and delete the label in cases you do not need it on the form.



More explanation on how we can bound and customize controls will be given later on in the lecture!

## Form creation and initial settings



Hands on software (MS Access):

- Create a form linked with a table (tbleAnnouncedProject)
- Adding fields to the form
- Removing extra information
- Adjusting field names
- Create queries for the forms
- Working with controls (Combo boxes, Labels, Textbox, ..)


#### Form environment

A form is divided into three parts: 1) detail (where usually fields are presented and by default is visible); 2) Form header/footer (presents data at the top of the form view - Design> View> Form View); 3) Page header/ footer (presents data at the top of the page in the print view- Print). By right-clicking on the detail-ribbon on the top of the form (when no header/footer is chosen) or by right-clicking on the header/footer ribbons, a pop-up form drops down in which you can select/ unselect form/page header/footer.

Right-click on the detail ribbon to see the pop-up menu



A form with all headers/footers selected (in design view)



Form header/footer stays at the top/ bottom on the Form View.

Page header/footer are not shown


Form1	
Form Header Label	06/04/2012
Detail Label	06/04/2012
Form Footer Label	06/04/2012

On the print, form header comes at the beginning, form footer goes at the end of data presented on the detail part. Page header goes on the top of each page and page footer goes on the bottom of each page

Form Header Label	06/04/2012
Page Header Label	06/04/2012
Detail Label	06/04/2012
Detail Label	06/04/2013
Detail Label	09/04/2013
Form Footer Label	09/04/2013
Page Footer Label	09/04/2013

### Form properties - format


**Caption**: Sets the title of the form to be shown on the Form View!




**Default view**: Determines the default presentation view of the form when it is opened!

PrelimManH:


There are 6 possible default view options



By default "Single Form" is the default view



"Continuous "Datasheet" Forms"




500000

"Split Form"

New Projects Announced										
	APId →	Date	Announced -	D						
	5		06/04/2012							
	6		06/04/2013							
	7		09/04/2013							
*	(New)		03/05/2013							
Þ	APId:		5							
	Date Announced:		06/04/2012							
	DueDate:		29/04/2012							
	ProjectTypeId:		2 🔻							
	ContractTypeId:		1							
	ContractTypeId:		1							
	PrjLocation:		Tehran							
	PrelimManH:		1000000							
				_						
	ı									

### Form layout view

All view types of the form have been discussed in different parts of the lecture except Layout View! Layout View is used for adjusting the form's layout when it is presented at the Form View. It looks like the Form View, but gives the capability to do layout and size adjustment on the form controls (easier than the Design View)!



In Layout View the form looks like the Form View but you can adjust its layout

New Project Announced							
	APId:	5					
	DueDate:	29/04/2012					
	Date Announced:	06/04/2012					
	ContractTypeId:	1					
	PrjLocation:	Tehran					
	PrelimManH:	1000000					

### Form properties - format

Record Selectors: Determines whether record selector be shown (Yes) on the Form View or not (No).


Record selector: Yes

New Project Announced

APId:
DueDate: 29/04/2012
Date Announced: 06/04/2012
ContractTypeId: 1
PrjLocation: Tehran
PrelimManH: 10000000



Navigation Buttons: Determines whether navigation buttons be shown (Yes) on the Form View or not (No).



New Project Announced				
APId:	5			
DueDate:	29/04/2012			
Date Announced:	06/04/2012			
ContractTypeId:	1			
PrjLocation:	Tehran			
PrelimManH:	1000000			

**Navigation Buttons: No** 


Property Sheet									
Selection type: Form									
Form			•						
Format	Data	Event	Other	All					
Allow La	yout Vie	Yes							
Picture	-	(none)							
Picture 1	Tiling	No							
Picture /	Alignme	Center							
Picture 1		Embedded							
Picture 9	Size Mod	Clip							
Width		6.587cm							
Auto Ce	nter	No							
Auto Resize			No						
Fit to Screen			No						
Border 9	Style	Sizable							
Record :	Selector	Yes	-						
Navigati	ion Butt	Yes							
Navigati	ion Capt								

## Form properties - format

Scroll Bars: Determines whether scroll bars be shown on the Form View when some controls are outside of the form limits or not!



- Close Button: Determines whether form's close button be active at the Form View or not!
- Orientation: Determines the text orientation on the form controls from right-to-left or left-to-right!



## Form basic formatting




Hands on software (MS Access):

- Form environment (header/footer)
- Form view
- Layout view
- Record navigation

### **Text box properties - format**

- **Format:** It is basically applicable for numerical values. The value types are very close to ones we had for MS Excel.
- Decimal Places: It determines the decimal place of the numerical values!
- Visible: It determines whether text box should be visible (Yes) on the Form View or not (No)!
- Back Style: To select Normal back style or Transparent!
- Back Color: Gives option to select the back color from the list or to pick a color from the color picker.
- Border Style: Different border styles can be picked from the dropdown list (try different styles so that you can see the changes!).









### **Text box properties - format**

- Font Name: Selecting the font name.
- Font Size: Determining the font size.
- Text Align: Determining the text alignment.
- Is Hyperlink: Set it as Yes if you have a url (web) address on the text box shown and you want the user to be able to go to that address when is required!
- Fore Color: Gives option to select the font color from the list or to pick a color from the color picker.
- Keyboard Language: Determines the default keyboard language of the text box.




### Text box properties - data

- Control Source: Determines the name of the filed whose values are presented on the Form View in the text box!
- Default Value: Determines the default value of the text box where there is no other value is set for the text box!
- Enabled: If is set No shows the value of the text box in a shadowed format with no access for editing the value!




Locked: If is set Yes shows the value of the text box in a regular format but with no access for editing the value!




### Text box properties - other

- Name: Determines the name of text box. This name is usually used for referencing the text box on the programming mode!
- **Control Tip Text:** To determine the explanatory text which is shown when cursor stays on the text box for a bit!



- **Tab Index:** Tab index determines the order of filling the information on the form. It is called tab index since this order can be followed by consecutively pushing the Tab key! You can directly change the tab number to the order you desire or open the *Tab Order* by pushing the picker (...)
- **Tab Stop:** Determines whether the text box to be on the tab index list (Yes) or not (No). If text box is no on the tab index list, you will not reach it by pushing Tab key (just by using the cursor you can go to the text box).



Order. You can

Auto Order

change the order of

the by selecting the

row and dragging it

to the order desired!

Section:

and footer

Click to select a row, or

click and drag to select

Cancel

multiple rows. Drag selected row(s) to move


them to desired tab

### Combo box properties - notes

- Note 1: Most properties discussed for the text box have the same effects on the combo box. Here we only discuss some important properties for combo box which we did not discuss for the text box!
- Note 2: You can properly configure combo box by step by step following Combo Box
  Wizard which automatically appears after drawing the combo box on the form. In this
  section we discuss how you manually (by directly using properties) can configure a combo
  box! You will get a better understanding on the Wizard steps by understanding following
  properties as well. So, for now cancel the Wizard and start configuring the combo box
  manually!

### Combo box properties - format

- Column Count: Determines maximum number of column to be shown on the combo box list!
- Column Width: Determines width of each column (separated by ";") on the drop down list.
- Column Heads: Determines whether the column headings be shown on the list or not!
- List Rows: Determines maximum number of rows to be shown on the combo box list!
- List Width: Determines the width of the combo box to be shown!



#### Combo box with 2 columns and 3 rows

Contract Type Id:

CTId

Combo box value

CTId

Lumpsum


Unit Price
Cost plus

Combo box value

Column 2 Heading

### Combo box properties - data

- Control Source: Determines the field name in which combo box value will be stored. Can be selected from the dropped down list.
- Row Source: Defines the record set is used for filling information on the combo box list! It can be selected from drop down list of queries and tables or by directly defining a query. Query development environmebnt will be opened when "..." button in pushed!
- Bound Column: Determines the row source (= shown on the combo box list) column number whose data needs to be stored in the control source. For example: We have determined bound column number 2 which is CTID (or Contract Type Id) to be stored in the CotractTypeId field of the form!





Limit to List: Determines whether all data stored in the control sources need be on the combo box list (Yes) or not (No)!


### **Button properties - wizard**

- Button is a control used for running different commands related to the form or to the database. By drawing a button control on a form the Command Button Wizard gets open for helping the form developer on different types of commands which might be required. The wizard automatically generates supporting VBA programming codes and suggests different button samples for different types of commands.
- There are a variety of VBA functions and form features for supporting button commands which is difficult to remember specially for the occasional form developers. It is recommended that you start developing form buttons with Wizard and then continue customizing and completing them using properties.
- Navigate and see different Categories and Actions and see different categories and actions available for supporting button.
- For example we want to create a Close button by pushing which the form is closed!
   Categories: Form Operation> Actions: Close Form




### **Button properties - wizard**

50









by use of wizard


### **Button properties - format**

- Picture Capture Arrangement: Determines whether only Picture, or a combination between picture and the button caption be shown on the button.
- Picture: Can be added by pushing "..." button and working with the picture builder form.






- Event is an action or occurrence detected by the program which may be handled by the program.
- Buttons are usually used to let the user apply his/her actions by creating on-Click event (i.e., by pushing the button).
- A variety of events are defined for almost all controls. However, as a result of very their specific and advanced applications, we avoid explaining them.
- In this course we just discuss button's on-Click event handling. You are encouraged to explore other types of events.
- On Click: Defines the handling method when button's on-Click event is created!




By pushing "..." key, information of saved macro is shown




#### On Click (cont'd):

Let's see how we can develop the Close button without using the Wizard. First select and delete "Embedded Macro" next to the On Click event. Then push "..." key to see your On

Click event handling options.



By pushing "..." key, event handling options are shown




Choose Builder

Macro Builder

Push OK when Macro Builder option is selected




Form1: cmdClose: On Click Action Arguments close Select close from • Close Action column CloseDatabase FindNext drop down list! FindRecord GoToControl GoToPage GoToRecord




#### On Click (cont'd):

Use of Code Builder instead of Macro;


#### Embedded Microsoft Visual Basic is opened!






#### On Click (cont'd):

The supporting code for closing the form is: **DoCmd.Close** 



#### On Click (cont'd):


For using buttons for opening other forms (for building up a menu), in the Code Builder environment use code: **DoCmd.OpenForm ("frmMain")** 




### **Default form**



Select: Sel



## Security warning



Select: > Access Options> Trust Center> Trust Center Settings> Macro Settings> Enable all macros


Trust Center Settings

Disable all macros without notification

Disable all macros with notification

Disable all macros except digitally signed macros

Enable all macros (not recommended; potentially dangerous code can run)



Add-ins

Macro Settings

Message Bar

Privacy Options

When you did the new setting, on your next file opening security warning will not apear!

## Form control formatting



Hands on software (MS Access):

- Text box
- Combo box
- Button
- Default form
- Security warning

### After class practice 2




Bid form is a form for entering our bid information. Create a bid form which can be used for reviewing our past bids and can be used for creating new bids that we are going to participate.


Where ever is appropriate use combo-boxes, buttons and other controls.

(Due: one day)


- A sub-form is a form that is inserted in another form. The primary form is called the main form, and the form that is enclosed in form is called the sub-form.
- A form/sub-form combination is sometimes referred to as a hierarchical form, a master/detail form, or a parent/child form.
- Sub-form and main form are linked to each other through (a set of) shared fields.
- bidding system we want a form which has the client information on the top and the list of (or history of) previous projects announced on the bottom. (the form is called project history).



Example (cont'd): In this example form frmClient has an embedded form frmClientProject.
It is shown in the Design View of the form in below:



**Example (cont'd):** The linked field between two forms is ClientId!




Sub-form is among the form controls which can be selected and drawn on the form! By drawing a sub-form on the form the Sub-

Form is started to help you setting up the sub-form. You can build your sub-form up on the currently developed forms, tables or queries! So before start drawing your sub-form control

you need to have your desired database object prepared!





Property Sheet

frmClientProject

Source Object

Format

Enabled Locked Data

Link Master Fields ClientId

Link Child Fields ClientId Filter On Empty M. Yes

Selection type: Subform/Subreport

Event

Nο


Other

frmClientProject


•

#### Creating a sub-form (cont'd):


At the Design View of the sub-form you have 3 levels of control selection: 1) Sub-form frame selection 2) Sub-form Form selection 3) Sub-form Form controls selection. After selecting a control you can adjust its properties correspondingly!



Sub-form frame selection



Sub-form form selection




Sub-form form controls selection


**Note**: Sub-form properties also can be directly be adjusted by directly opening the sub-form in its Design view. However it should be noted that at the time the form can be opened in one way (i.e., either opened in the main/ child form or as a separate and stand alone form)

#### Creating a sub-form (cont'd):

**Source Object:** If you need to change the *sub-form object* (e.g., from a form to another form), you can change the reference to the sub-form object by selecting the *sub-form* frame at: Properties> Data> Source Object

Link Master/ Child Fields: It is possible to change the link fields by changing Link Master/ Child Fields at: Properties> Data> Link Master Fields and Properties> Data> Link Child Fields. In cases that master form and sub (or child) form are linked through several fields use ";" for separating field names from each other.





### **Sub-form creation**



Hands on software (MS Access):


Sub-form creation

Sub-forms are used for interactive data filtering in MS Access!


Select different dates and related records are interactively shown in the sub-form after OK button is pushed! Announced Projects Filtering OK 29/11/2012 To: Project Announced date from: Projects Announced List: PrjDescription PriLocation Date Announced -DueDate PrelimMa High level bridge in shomal high Mazandaran 29/04/2013 06/04/2013 500000 09/04/2013 18/05/2013 Qom Freeway Payment Tehran 200000 06/04/2013 29/04/2013 Garm Highway Tehran 600000 Record: | 1 of 3 No Filter Search

It is done by using sub-form and a small portion of programming! The design view of the form is shown in below. The significant change from form view to design vies is two additional unbound text boxed which have "Visible: No" properties and are used as

supports to the visible invisible at the text boxes. Another considerable issue is that the main form and all its controls are unbound since they are just used for filtering purpose and their values are selected by user.




The main basis of filtering is that we set a query for the sub-form object whose values are linked to the main-form filtering objects (i.e., From and To dates).




- We need to set the filtering Criteria correctly:
  - On the query side we need to set the criteria to show the dates greater than From and the dates less than To.
  - On the form control side, if user selects both ranges properly, the criteria logic works fine.
  - The issue comes up when user has not selected a value(s) for one or both filtering text boxes. The logic says if there is no value it means there is no constraint, i.e., no value on *From* means all lower limit dates should be shown and no value on *To* means all upper limit values should be shown. However, no value will send a *Null* to our sub-form *query* and will result in showing no result!!!
  - We used our auxiliary and invisible text boxes to solve the issue. As a matter of fact these text boxes are linked to the sub-form query and we will adjust their values using Event properties and supporting VBA coding based on updates on the visible filtering text boxes.

In our logic we wanted to show there is no constraint if there is no value shown, it is translated in coding to set a far-past date for *From* filter and set a far-future date for the *To* if there is no date value selected by user. For example it is done for the from filter as:




Similar approach will be followed for To filters!

- Your filter is almost done, but is not working until you do you last setting.
- The issue is, although every part of program is logically right, we need to refresh the link between our filters and the sub-form query.
- This last step *can* be done (there are also other ways) by using a command button:



The filter is now up and running!

### Sub-form filterin



Sub-form filtering

## After class practice 3




Create a filter form which shows different new project's information with a project prelim cost between a range!

(Due: one day)

### Report

- Reports are other object types in MS Access (in parallel to table, query and form).
- It can be said that reports are special type of forms with specialized set of controls adapted for printing and presenting data (no data input is possible in the reports).
- Both data source and sub-form concepts are valid in report development steps!
- For creating new report you need to follow: Create> Report> Report Design



 Since development of the reports is similar to form development (compared to form development report development is a simplified process because no input is received form the user), we skip discussing form capabilities).

# Thank you!