

CSI 62

Operating Systems and Systems Programming

Lecture 10

Scheduling (con't)


February 25th, 2020

Prof. John Kubiawicz

<http://cs162.eecs.Berkeley.edu>

Acknowledgments: Lecture slides are from the Operating Systems course taught by John Kubiawicz at Berkeley, with few minor updates/changes. When slides are obtained from other sources, a reference will be noted on the bottom of that slide, in which case a full list of references is provided on the last slide.

Recall: Scheduling



```
if ( readyThreads(TCBs) ) {
    nextTCB = selectThread(TCBs);
    run( nextTCB );
} else {
    run_idle_thread();
}
```

- Discussion of Scheduling:
 - Which thread should run on the CPU next?
- Scheduling goals, policies
- Look at a number of different schedulers

Recall: Scheduling Policy Goals/Criteria


- Minimize Response Time
 - Minimize elapsed time to do an operation (or job)
 - Response time is what the user sees:
 - » Time to echo a keystroke in editor
 - » Time to compile a program
 - » Real-time Tasks: Must meet deadlines imposed by World
- Maximize Throughput
 - Maximize operations (or jobs) per second
 - Throughput related to response time, but not identical:
 - » Minimizing response time will lead to more context switching than if you only maximized throughput
 - Two parts to maximizing throughput
 - » Minimize overhead (for example, context-switching)
 - » Efficient use of resources (CPU, disk, memory, etc)
- Fairness
 - Share CPU among users in some equitable way
 - Fairness is not minimizing average response time:
 - » Better *average* response time by making system *less* fair

Recall: Example of RR with Time Quantum = 20

- Example:

<u>Process</u>	<u>Burst Time</u>
P_1	53
P_2	8
P_3	68
P_4	24

– The Gantt chart is:



– Waiting time for $P_1 = (68-20) + (112-88) = 72$
 $P_2 = (20-0) = 20$

$$P_3 = (28-0) + (88-48) + (125-108) = 85$$

$$P_4 = (48-0) + (108-68) = 88$$

– Average waiting time = $(72+20+85+88)/4 = 66\frac{1}{4}$

– Average completion time = $(125+28+153+112)/4 = 104\frac{1}{2}$

- Thus, Round-Robin Pros and Cons:

– Better for short jobs, Fair (+)

– Context-switching time adds up for long jobs (-)

Comparisons between FCFS and Round Robin

- Assuming zero-cost context-switching time, is RR always better than FCFS?

- Simple example:

10 jobs, each take 100s of CPU time
RR scheduler quantum of 1s
All jobs start at the same time

- Completion Times:

Job #	FIFO	RR
1	100	991
2	200	992
...
9	900	999
10	1000	1000

– Both RR and FCFS finish


– Average response time is much worse under RR!

» Bad when all jobs same length

- Also: Cache state must be shared between all jobs with RR but can be devoted to each job with FIFO


– Total time for RR longer even for zero-cost switch!

Earlier Example with Different Time Quantum



	Quantum	P_1	P_2	P_3	P_4	Average
Wait Time	Best FCFS	32	0	85	8	$31\frac{1}{4}$
	Q = 1	84	22	85	57	62
	Q = 5	82	20	85	58	$61\frac{1}{4}$
	Q = 8	80	8	85	56	$57\frac{1}{4}$
	Q = 10	82	10	85	68	$61\frac{1}{4}$
	Q = 20	72	20	85	88	$66\frac{1}{4}$
	Worst FCFS	68	145	0	121	$83\frac{1}{2}$
Completion Time	Best FCFS	85	8	153	32	$69\frac{1}{2}$
	Q = 1	137	30	153	81	$100\frac{1}{2}$
	Q = 5	135	28	153	82	$99\frac{1}{2}$
	Q = 8	133	16	153	80	$95\frac{1}{2}$
	Q = 10	135	18	153	92	$99\frac{1}{2}$
	Q = 20	125	28	153	112	$104\frac{1}{2}$
	Worst FCFS	121	153	68	145	$121\frac{3}{4}$

Handling Differences in Importance: Strict Priority Scheduling



- Execution Plan
 - Always execute highest-priority runnable jobs to completion
 - Each queue can be processed in RR with some time-quantum
- Problems:
 - Starvation:
 - » Lower priority jobs don't get to run because higher priority jobs
 - Deadlock: Priority Inversion
 - » Not strictly a problem with priority scheduling, but happens when low priority task has lock needed by high-priority task
 - » Usually involves third, intermediate priority task that keeps running even though high-priority task should be running
- How to fix problems?
 - Dynamic priorities – adjust base-level priority up or down based on heuristics about interactivity, locking, burst behavior, etc...

Scheduling Fairness

- What about fairness?
 - Strict fixed-priority scheduling between queues is unfair (run highest, then next, etc):
 - » long running jobs may never get CPU
 - » Urban legend: In Multics, shut down machine, found 10-year-old job \Rightarrow Ok, probably not...
 - Must give long-running jobs a fraction of the CPU even when there are shorter jobs to run
 - Tradeoff: fairness gained by hurting avg response time!

Scheduling Fairness

- How to implement fairness?
 - Could give each queue some fraction of the CPU
 - » What if one long-running job and 100 short-running ones?
 - » Like express lanes in a supermarket—sometimes express lanes get so long, get better service by going into one of the other lines
 - Could increase priority of jobs that don't get service
 - » What is done in some variants of UNIX
 - » This is ad hoc—what rate should you increase priorities?
 - » And, as system gets overloaded, no job gets CPU time, so everyone increases in priority⇒Interactive jobs suffer

Lottery Scheduling



- Yet another alternative: Lottery Scheduling
 - Give each job some number of lottery tickets
 - On each time slice, randomly pick a winning ticket
 - » NOTE: Not a “real” random number generator; instead pseudo-random number generators can make sure that every ticket picked once before repeating!
 - On average, CPU time is proportional to number of tickets given to each job
- How to assign tickets?
 - To help with responsiveness, give short running jobs more tickets, long running jobs get fewer tickets
 - To avoid starvation, every job gets at least one ticket (everyone makes progress)
- Advantage over strict priority scheduling: behaves gracefully as load changes
 - Adding or deleting a job affects all jobs proportionally, independent of how many tickets each job possesses

Lottery Scheduling Example (Cont.)


- Lottery Scheduling Example
 - Assume short jobs get 10 tickets, long jobs get 1 ticket

# short jobs/ # long jobs	% of CPU each short jobs gets	% of CPU each long jobs gets
1/1	91%	9%
0/2	N/A	50%
2/0	50%	N/A
10/1	9.9%	0.99%
1/10	50%	5%

- What if too many short jobs to give reasonable response time?
 - » If load average is 100, hard to make progress
 - » One approach: log some user out

How to Evaluate a Scheduling algorithm?

- Deterministic modeling
 - takes a predetermined workload and compute the performance of each algorithm for that workload
- Queueing models
 - Mathematical approach for handling stochastic workloads
- Implementation/Simulation:
 - Build system which allows actual algorithms to be run against actual data – most flexible/general



How to Handle Simultaneous: Mix of Diff Types of Apps?

- Consider mix of interactive and high throughput apps:
 - How to best schedule them?
 - How to recognize one from the other?
 - » Do you trust app to say that it is “interactive”?
 - Should you schedule the set of apps identically on servers, workstations, pads, and cellphones?
- For instance, is Burst Time (observed) useful to decide which application gets CPU time?
 - Short Bursts \Rightarrow Interactivity \Rightarrow High Priority?
- Assumptions encoded into many schedulers:
 - Apps that sleep a lot and have short bursts must be interactive apps – they should get high priority
 - Apps that compute a lot should get low(er?) priority, since they won't notice intermittent bursts from interactive apps
- Hard to characterize apps:
 - What about apps that sleep for a long time, but then compute for a long time?
 - Or, what about apps that must run under all circumstances (say periodically)

What if we Knew the Future?


- Could we always mirror best FCFS?
- Shortest Job First (SJF):
 - Run whatever job has least amount of computation to do
 - Sometimes called “Shortest Time to Completion First” (STCF)
- Shortest Remaining Time First (SRTF):
 - Preemptive version of SJF: if job arrives and has a shorter time to completion than the remaining time on the current job, immediately preempt CPU
 - Sometimes called “Shortest Remaining Time to Completion First” (SRTCF)
- These can be applied to whole program or current CPU burst
 - Idea is to get short jobs out of the system
 - Big effect on short jobs, only small effect on long ones
 - Result is better average response time



Discussion


- SJF/SRTF are the best you can do at minimizing average response time
 - Provably optimal (SJF among non-preemptive, SRTF among preemptive)
 - Since SRTF is always at least as good as SJF, focus on SRTF
- Comparison of SRTF with FCFS
 - What if all jobs the same length?
 - » SRTF becomes the same as FCFS (i.e. FCFS is best can do if all jobs the same length)
 - What if jobs have varying length?
 - » SRTF: short jobs not stuck behind long ones

Example to illustrate benefits of SRTF



- Three jobs:
 - A, B: both CPU bound, run for week
 - C: I/O bound, loop 1ms CPU, 9ms disk I/O
 - If only one at a time, C uses 90% of the disk, A or B could use 100% of the CPU
- With FCFS:
 - Once A or B get in, keep CPU for two weeks
- What about RR or SRTF?
 - Easier to see with a timeline

SRTF Example continued:



SRTF Further discussion

- Starvation
 - SRTF can lead to starvation if many small jobs!
 - Large jobs never get to run
- Somehow need to predict future
 - How can we do this?
 - Some systems ask the user
 - » When you submit a job, have to say how long it will take
 - » To stop cheating, system kills job if takes too long
 - But: hard to predict job's runtime even for non-malicious users
- Bottom line, can't really know how long job will take
 - However, can use SRTF as a yardstick for measuring other policies
 - Optimal, so can't do any better
- SRTF Pros & Cons
 - Optimal (average response time) (+)
 - Hard to predict future (-)
 - Unfair (-)




Predicting the Length of the Next CPU Burst


- **Adaptive:** Changing policy based on past behavior
 - CPU scheduling, in virtual memory, in file systems, etc
 - Works because programs have predictable behavior
 - » If program was I/O bound in past, likely in future
 - » If computer behavior were random, wouldn't help
- Example: SRTF with estimated burst length
 - Use an estimator function on previous bursts:
Let t_{n-1} , t_{n-2} , t_{n-3} , etc. be previous CPU burst lengths.
Estimate next burst $\tau_n = f(t_{n-1}, t_{n-2}, t_{n-3}, \dots)$
 - Function f could be one of many different time series estimation schemes (Kalman filters, etc)

– For instance,

exponential averaging
 $\tau_n = \alpha t_{n-1} + (1-\alpha)\tau_{n-1}$
with $(0 < \alpha \leq 1)$




Multi-Level Feedback Scheduling




- Another method for exploiting past behavior (first use in CTSS)
 - Multiple queues, each with different priority
 - » Higher priority queues often considered “foreground” tasks
 - Each queue has its own scheduling algorithm
 - » e.g. foreground – RR, background – FCFS
 - » Sometimes multiple RR priorities with quantum increasing exponentially (highest: 1ms, next: 2ms, next: 4ms, etc)
- Adjust each job’s priority as follows (details vary)
 - Job starts in highest priority queue
 - If timeout expires, drop one level
 - If timeout doesn’t expire, push up one level (or to top)

Scheduling Details



- Result approximates SRTF:
 - CPU bound jobs drop like a rock
 - Short-running I/O bound jobs stay near top
- Scheduling must be done between the queues
 - Fixed priority scheduling:
 - » serve all from highest priority, then next priority, etc.
 - Time slice:
 - » each queue gets a certain amount of CPU time
 - » e.g., 70% to highest, 20% next, 10% lowest

Scheduling Details



- **Countermeasure:** user action that can foil intent of the OS designers
 - For multilevel feedback, put in a bunch of meaningless I/O to keep job's priority high
 - Of course, if everyone did this, wouldn't work!
- Example of Othello program:
 - Playing against competitor, so key was to do computing at higher priority than the competitors.
 - » Put in printf's, ran much faster!

Case Study: Linux $O(1)$ Scheduler



- Priority-based scheduler: 140 priorities
 - 40 for “user tasks” (set by “nice”), 100 for “Realtime/Kernel”
 - Lower priority value \Rightarrow higher priority (for nice values)
 - Highest priority value \Rightarrow Lower priority (for realtime values)
 - All algorithms $O(1)$
 - » Timeslices/priorities/interactivity credits all computed when job finishes time slice
 - » 140-bit bit mask indicates presence or absence of job at given priority level
- Two separate priority queues: “active” and “expired”
 - All tasks in the active queue use up their timeslices and get placed on the expired queue, after which queues swapped
- Timeslice depends on priority – linearly mapped onto timeslice range
 - Like a multi-level queue (one queue per priority) with different timeslice at each level
 - Execution split into “Timeslice Granularity” chunks – round robin through priority

O(1) Scheduler Continued

- Heuristics
 - User-task priority adjusted ± 5 based on heuristics
 - » $p \rightarrow \text{sleep_avg} = \text{sleep_time} - \text{run_time}$
 - » Higher `sleep_avg` \Rightarrow more I/O bound the task, more reward (and vice versa)
 - Interactive Credit
 - » Earned when a task sleeps for a “long” time
 - » Spend when a task runs for a “long” time
 - » IC is used to provide hysteresis to avoid changing interactivity for temporary changes in behavior
 - However, “interactive tasks” get special dispensation
 - » To try to maintain interactivity
 - » Placed back into active queue, unless some other task has been starved for too long...
- Real-Time Tasks
 - Always preempt non-RT tasks
 - No dynamic adjustment of priorities
 - Scheduling schemes:
 - » `SCHED_FIFO`: preempts other tasks, no timeslice limit
 - » `SCHED_RR`: preempts normal tasks, RR scheduling amongst tasks of same priority

Linux Completely Fair Scheduler (CFS)


- First appeared in 2.6.23, modified in 2.6.24
- “CFS doesn't track sleeping time and doesn't use heuristics to identify interactive tasks—it just makes sure every process gets a fair share of CPU within a set amount of time given the number of runnable processes on the CPU.”
- Inspired by Networking “Fair Queueing”
 - Each process given their fair share of resources
 - Models an “ideal multitasking processor” in which N processes execute simultaneously as if they truly got $1/N$ of the processor
 - » Tries to give each process an equal fraction of the processor
 - Priorities reflected by weights such that increasing a task's priority by 1 always gives the same fractional increase in CPU time – regardless of current priority

Real-Time Scheduling (RTS)


- Efficiency is important but **predictability** is essential:
 - We need to predict with confidence worst case response times for systems
 - In RTS, performance guarantees are:
 - » Task- and/or class centric and often ensured a priori
 - In conventional systems, performance is:
 - » System/throughput oriented with post-processing (... wait and see ...)
 - Real-time is about enforcing predictability, and does not equal fast computing!!!
- Hard Real-Time
 - *Attempt to meet all deadlines*
 - EDF (Earliest Deadline First), LLF (Least Laxity First), RMS (Rate-Monotonic Scheduling), DM (Deadline Monotonic Scheduling)
- Soft Real-Time
 - *Attempt to meet deadlines with high probability*
 - Minimize miss ratio / maximize completion ratio (firm real-time)
 - Important for multimedia applications
 - CBS (Constant Bandwidth Server)

Example: Workload Characteristics

- Tasks are preemptable, independent with arbitrary arrival (=release) times
- Tasks have deadlines (D) and known computation times (C)
- Example Setup:




Example: Round-Robin Scheduling Doesn't Work



Earliest Deadline First (EDF)

- Tasks **periodic** with period P and computation C in each period: (P_i, C_i) for each task i
- Preemptive priority-based dynamic scheduling:
 - Each task is assigned a (current) priority based on how close the absolute deadline is (i.e. $D_i^{t+1} = D_i^t + P_i$ for each task!)
 - The scheduler always schedules the active task with the closest absolute deadline




- Schedulable when $\sum_{i=1}^n \left(\frac{C_i}{P_i} \right) \leq 1$

Choosing the Right Scheduler

I Care About:	Then Choose:
CPU Throughput	FCFS
Avg. Response Time	SRTF Approximation
I/O Throughput	SRTF Approximation
Fairness (CPU Time)	Linux CFS
Fairness - Wait Time to Get CPU	Round Robin
Meeting Deadlines	EDF
Favoring Important Tasks	Priority

A Final Word On Scheduling

- When do the details of the scheduling policy and fairness really matter?
 - When there aren't enough resources to go around
- When should you simply buy a faster computer?
 - (Or network link, or expanded highway, or ...)
 - One approach: Buy it when it will pay for itself in improved response time
 - » Perhaps you're paying for worse response time in reduced productivity, customer angst, etc...
 - » Might think that you should buy a faster X when X is utilized 100%, but usually, response time goes to infinity as utilization \Rightarrow 100%
- An interesting implication of this curve:
 - Most scheduling algorithms work fine in the “linear” portion of the load curve, fail otherwise
 - Argues for buying a faster X when hit “knee” of curve



Summary (1 of 2)

- **Scheduling Goals:**
 - Minimize Response Time (e.g. for human interaction)
 - Maximize Throughput (e.g. for large computations)
 - Fairness (e.g. Proper Sharing of Resources)
 - Predictability (e.g. Hard/Soft Realtime)
- **Round-Robin Scheduling:**
 - Give each thread a small amount of CPU time when it executes; cycle between all ready threads
 - Pros: Better for short jobs
- **Shortest Job First (SJF)/Shortest Remaining Time First (SRTF):**
 - Run whatever job has the least amount of computation to do/least remaining amount of computation to do
 - Pros: Optimal (average response time)
 - Cons: Hard to predict future, Unfair
- **Multi-Level Feedback Scheduling:**
 - Multiple queues of different priorities and scheduling algorithms
 - Automatic promotion/demotion of process priority in order to approximate SJF/SRTF

Summary (2 of 2)

- **Lottery Scheduling:**
 - Give each thread a priority-dependent number of tokens (short tasks \Rightarrow more tokens)
- **Linux CFS Scheduler: Fair fraction of CPU**
 - Approximates a “ideal” multitasking processor
- **Realtime Schedulers such as EDF**
 - Guaranteed behavior by meeting deadlines
 - Realtime tasks defined by tuple of compute time and period
 - Schedulability test: is it possible to meet deadlines with proposed set of processes?