



Agile Software Development

Lecturer: **Raman Ramsin**

Lecture 8


Refactoring – Part 2



Moving Features: *Move Function*

■ Move Function

- A function is, or will be, using or used in another context than the context in which it currently resides.
- *Create a new function with a similar body in the new context. Either turn the old function into a simple delegation, or remove it altogether.*






Moving Features: *Move Field*

■ Move Field

- A field is, or will be, used by another context more than the context in which it already resides.
- *Create a new field in the target context, and change all its users.*





Moving Features: *Slide Statements*

■ Slide Statements

- Several lines of code access the same data structure, but they are intermingled with code accessing other data structures.
- *Move them together.*

```
const pricingPlan = retrievePricingPlan();  
const order = retrieveOrder();  
let charge;  
const chargePerUnit = pricingPlan.unit;
```



```
const pricingPlan = retrievePricingPlan();  
const chargePerUnit = pricingPlan.unit;  
const order = retrieveOrder();  
let charge;
```



Moving Features: *Split Loop*

■ Split Loop

- You're doing two different things in the same loop, and whenever you need to modify the loop you have to understand both things.
- *Split the loop into two independent ones.*

```
let averageAge = 0;
let totalSalary = 0;
for (const p of people) {
  averageAge += p.age;
  totalSalary += p.salary;
}
averageAge = averageAge / people.length;
```




```
let totalSalary = 0;
for (const p of people) {
  totalSalary += p.salary;
}

let averageAge = 0;
for (const p of people) {
  averageAge += p.age;
}
averageAge = averageAge / people.length;
```

Moving Features: *Replace Loop with Pipeline*

■ Replace Loop with Pipeline

- You are using loops to iterate over a collection of objects.
- *Use Collection Pipelines instead, which describe the processing as a series of operations, each consuming and emitting a collection.*



```
const names = [];  
for (const i of input) {  
  if (i.job === "programmer")  
    names.push(i.name);  
}
```



```
const names = input  
  .filter(i => i.job === "programmer")  
  .map(i => i.name)  
;
```



Moving Features: *Remove Dead Code*

■ Remove Dead Code

- Unused code is becoming a significant burden when trying to understand how the software works.
 - *Remove it mercilessly.*
-

```
if(false) {  
    doSomethingThatUsedToMatter();  
}
```





Organizing Data: *Split Variable*

■ Split Variable

- A variable has more than one responsibility within the method.
 - *It should be replaced with multiple variables, one for each responsibility.*
-

```
let temp = 2 * (height + width);  
console.log(temp);  
temp = height * width;  
console.log(temp);
```



```
const perimeter = 2 * (height + width);  
console.log(perimeter);  
const area = height * width;  
console.log(area);
```




Organizing Data: *Change Reference to Value*

■ Change Reference to Value

- There is a changeable object, or data structure, nested within another.
- *Provide immutable copies of it (such as Value Objects) to pass around.*

```
class Product {  
    applyDiscount(arg) {this._price.amount -= arg;}
```



```
class Product {  
    applyDiscount(arg) {  
        this._price = new Money(this._price.amount - arg, this._price.currency);  
    }  
}
```



Organizing Data: *Change Value to Reference*

■ Change Value to Reference

- Immutable copies of an object or data structure are passed around, but they need to be updated based on changes made to the original.
- *Change the copied data into a single reference.*

```
let customer = new Customer(customerData);
```



```
let customer = customerRepository.get(customerData.id);
```



Simplifying Conditional Logic: *Decompose Conditional*

■ Decompose Conditional

- You have a complicated conditional (if-then-else) statement.
- *Extract methods from the condition, then part, and else parts.*

```
if (date.before (SUMMER_START) || date.after (SUMMER_END))  
    charge = quantity * _winterRate + _winterServiceCharge;  
else charge = quantity * _summerRate;
```



```
if (notSummer(date))  
    charge = winterCharge(quantity);  
else charge = summerCharge (quantity);
```



Simplifying Conditional Logic: *Consolidate Conditional Expression*

■ Consolidate Conditional Expression

- You have a sequence of conditional tests with the same result.
- *Combine them into a single conditional expression and extract it.*

```
double disabilityAmount() {  
    if (_seniority < 2) return 0;  
    if (_monthsDisabled > 12) return 0;  
    if (_isPartTime) return 0;  
    // compute the disability amount
```



```
double disabilityAmount() {  
    if (isNotEligableForDisability()) return 0;  
    // compute the disability amount
```



Simplifying Conditional Logic: *Replace Nested Conditional with Guards*

■ Replace Nested Conditional with Guard Clauses

- A method has conditional behavior that does not make clear the normal path of execution.
- *Use guard clauses for all the special cases.*

```
double getPayAmount() {  
    double result;  
    if (_isDead) result = deadAmount();  
    else {  
        if (_isSeparated) result = separatedAmount();  
        else {  
            if (_isRetired) result = retiredAmount();  
            else result = normalPayAmount();  
        }  
    }  
    return result;  
};
```




```
double getPayAmount() {  
    if (_isDead) return deadAmount();  
    if (_isSeparated) return separatedAmount();  
    if (_isRetired) return retiredAmount();  
    return normalPayAmount();  
};
```

Simplifying Conditional Logic: *Replace Conditional with Polymorphism*

■ Replace Conditional with Polymorphism

- You have a conditional that chooses different behavior depending on the type of an object.
- *Move each leg of the conditional to an overriding method in a subclass. Make the original method abstract.*

```
double getSpeed() {  
    switch (_type) {  
        case EUROPEAN:  
            return getBaseSpeed();  
        case AFRICAN:  
            return getBaseSpeed() - getLoadFactor() * _numberOfCoconuts;  
        case NORWEGIAN_BLUE:  
            return (_isNailed) ? 0 : getBaseSpeed(_voltage);  
    }  
    throw new RuntimeException ("Should be unreachable");  
}
```



Simplifying Conditional Logic: *Introduce Special Case*


■ Introduce Special Case

- Many users of a data structure check a specific value, and then do the same thing.
- *Use the Special Case pattern to create a special-case element that captures all the common behavior.*

```
if (aCustomer === "unknown") customerName = "occupant";
```



```
class UnknownCustomer {  
  get name() {return "occupant";} }  
class Customer {  
  // ...  
}
```




Simplifying Conditional Logic: *Introduce Special Case: Null Object*

■ Introduce Null Object

- You have repeated checks for a null value.
- *Replace the null value with a null object.*

```
if (customer == null) plan = BillingPlan.basic();  
else plan = customer.getPlan();
```





Simplifying Conditional Logic: *Introduce Assertion*

■ Introduce Assertion

- Sections of code work only if certain conditions are true. Such assumptions are not stated and can only be deduced by looking through the algorithm.
- *Use assertions to state the conditions explicitly; failure of an assertion indicates a programmer error.*

```
if (this.discountRate)
    base = base - (this.discountRate * base);
```



```
assert(this.discountRate >= 0);
if (this.discountRate)
    base = base - (this.discountRate * base);
```



Reference

- Fowler, M., *Refactoring: Improving the Design of Existing Code*, Addison-Wesley, 1999.
- Fowler, M., *Refactoring: Improving the Design of Existing Code*, 2nd Edition, Addison-Wesley, 2019.